

Configuration Report

use <CTRL+P> to print the selected frame

created on

dd/mm/yyyy
24/ 3/ 2022

hh:mm:ss
15: 07: 49

System

System Option

System type

Verio

option
option
option
option
option
option
option
option

[Attached to Network](#)
[DICOM Print Devices](#)
[DICOM Offline Devices](#)
[DICOM Networking](#)
[Image Import/Export](#)
[Paper Printer](#)
[System Management](#)

Local Host



Site Info

Installation

Software Installation
handed over

dd/mm/yyyy hh:mm

08/ 03/ 2009 14: 43
08/ 03/ 2009

System

Material No
Rdiag Prefix
Serial No
Department
Station name

10276755
MR
40480
Department
MEDPC

Service

Remote Service Center
Service Center
Site Identification No
Service Center Phone
Service Center Fax
Service Center Email

Europe
ServiceCenter
0
0
0
Email

Customer and Address

Name
Id
Hospital
Street
Street No.
ZIP code
Phone No.
City
District
Location
Administrator

SCE Biomedicale Electronique
Id
SCE Biomedicale Electronique
Place de l Hopital
1
67000
Phone No
Strasbourg
District
France
Administrator



Time settings

Time zone (GMT+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna
 NTP Time Server
 Automatic daylight time



TCP/IP LAN

Identification

Computer name minervois
1. Adapter [00000001] Main (external) network

IP Address

Obtain an IP address from DHCP
 Specify an IP address
 IP Address 130.79.100.12
 Subnet mask 255.255.255.0
 Gateway 130.79.100.254

WINS

Primary WINS server
 Secondary WINS server
 DNS for Windows Resolution
 LMHOSTS Lookup
2. Adapter [00000002] Measurement (internal) network

IP Address

Obtain an IP address from DHCP
 Specify an IP address
 IP Address 192.168.2.1
 Subnet mask 255.255.255.248
 Gateway

WINS

Primary WINS server
 Secondary WINS server
 DNS for Windows Resolution
 LMHOSTS Lookup

DNS

Domain u-strasbg.fr
 DNS 130.79.200.200



Users

Account for UI meduser
Enable Autologin



Monitor Type

Monitor Type settings

Monitor Type color
 Monitor Appearance Siemens (True Color)
 Multi Monitor settings



Modality configuration



Modality

MR

Multimodality System

Default



Routing Configuration

Hospital Router TCP/IP Address

130.79.100.254

| SRS Name | Host Name | Host IP Address | Netmask |
|----------|-------------|-----------------|-----------------|
| Europe | RT-DE-FTH23 | 194.138.39.16 | 255.255.255.248 |

RIP Listener Activated

Network Address Translation

Security



Security

Usage

Enable security usage

Features

User management

Data access check

Functional check

Auditing

DICOM access

Enable trusted host functionality

Remote service access

SSL encryption



GSM Configuration

User Repository

Enabled

GSM Service

Enabled

Global Permission Repository

Enabled



SDM Configuration

Service



Mail

| Logical Name | email address | Mail Server Logical Name | Default Mail Target |
|--------------|---------------------------------|--------------------------|-------------------------------------|
| SRS_mail | MRSMC.healthcare@siemens.com | LUX09505 | <input checked="" type="checkbox"/> |
| SaveLog | Savelog.healthchare@siemens.com | LUX09505 | <input type="checkbox"/> |



FTP

| Logical Name | FTP User | FTP Host Logical Name |
|--------------|----------|-----------------------|
| SRS_ftp | rdiagftp | LUX09505 |



AutoTransfers

activate/deactivate automatic Transfers
(initiated by the autoreport tool)

activate automatic Transfers



Eventlog

Log only Service messages

DICOM



General

| Local application entity titles | |
|---------------------------------|-----------|
| HIS/RIS | MRC40480 |
| Study Transfer | MINERVOIS |
| Print | MINERVOIS |



General DICOM settings

| | |
|---|-------------------------------------|
| Simultaneous DICOM associations | 10 |
| maximum PDU size | 262144 [bytes] |
| timeout values | |
| accepting/rejecting association request | 60 [seconds] |
| association open request | 60 [seconds] |
| association close request | 60 [seconds] |
| accepting a message over network | 60 [seconds] |
| waiting for data between TCP/IP packets | 60 [seconds] |
| reponse from remote node for storage/query/retrieve | 600 [seconds] |
| accept network connect | 60 [seconds] |
| implicit raw data transfer | <input checked="" type="checkbox"/> |



Character Set

default character set

ISO_IR 100



Structured Report

Nothing configured



Offline Devices

Configured Offline Devices

| Logical Name | Device Type | Drive Letter | Export Device | Archive Device | Default Device | Recording Speed | Manufacturer | Device UUID |
|---------------|--------------|--------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------------|------------------------------|--------------------------------------|
| DVD-Rom | CD/DVD-ROM | R: | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | n.a. | HL-DT-ST DVD-ROM DH10N | 13ee47d4-69ec-4dda-a338-9f10f85961db |
| DVDCombo | CD/DVD Combo | S: | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | half | Optiarc DVD RW AD-7250H 1.81 | 7f1c85cc-2fa2-4ba3-9c62-4c2574dda039 |
| DVDCombo_READ | CD/DVD-ROM | S: | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | n.a. | Optiarc DVD RW AD-7250H | 59a897e5-91b8-451a-a1d3-c8fb10b209d6 |



Network Nodes

1. NODE

General Node Properties

Logical Name

Host PIIV-GRAVEUR
 IP PIIV-GRAVEUR
 130.79.100.84
 connected by LAN
 Syngo based

Application Entity Properties

AE Title PIIV-GRAVEUR-M
Port Number 4007
Support Enhanced Data 0

Supported DICOM Services

Service Type Storage
 Transfer Syntax Explicit Big and Little and Implicit Little Endian
 Compresion JPEG Lossy and Lossless
 Default Node no special default node
 Preference Node
 Archive Node
 Default Archive
 Graphics in pixel data
 Color conversion No conversion
 Secondary Capture

2. NODE

General Node Properties

Logical Name

Host PIIV_PACS
 IP PIIV-HOMME
 172.16.10.4
 connected by LAN

Syngo based

Application Entity Properties

AE Title PIVV-HOMME
Port Number 11112
Support Enhanced Data 0

Supported DICOM Services

Service Type Storage
 Transfer Syntax Explicit Big and Little and Implicit Little Endian
 Compression JPEG Lossy and Lossless
 Default Node no special default node
 Preference Node
 Archive Node
 Default Archive
 Graphics in pixel data
 Color conversion No conversion
 Secondary Capture
Service Type Query Patient Root
Service Type Retrieve



Print Devices

Nothing configured



LUT Files

Usage of

Presentation LUT
 Correction LUT

Image type

CRImage
 CTImage
 USMultiFrameImage
 MRImage
 USImage
 SCImage
 SAOverlay
 SACurve
 XAImage
 XRImage
 XABiPlaneImage
 NMImage

Correction LUT

cr
 CTLUT
 USMultiFrameImage
 mr1Corr16b
 us
 sc
 SAOverlay
 SACurve
 xa
 xrf
 xabipl
 NM

Max Density

3.00
 2.80
 2.40
 3.00
 2.40
 3.00
 3.00
 3.00
 3.00
 3.00
 3.00
 3.00

Overall maximum density 3.00
Interpolation of printing Bilinear

Import/Export



Directories

1. DIRECTORY

Logical Name LOCAL
Location Localsystem
Path C:\temp

2. DIRECTORY

Logical Name CDR_OFFLINE
Location Localsystem
Path C:\Medcom\temp\CDR_OFFLINE

3. DIRECTORY

Logical Name USER_HOME
Location Localsystem
Path C:\Medcom\user

4. DIRECTORY

Logical Name ELSASS
Location Remotesystem
connected by LAN
Hostname elsass
TCP/IP address 130.79.100.100
share dskcommun

5. DIRECTORY

Logical Name USB
Location Localsystem
Path F:\

6. DIRECTORY

Logical Name RAWDATA
Location Remotesystem
connected by LAN
Hostname elsass
TCP/IP address 130.79.100.100
share dskcommunmreg

External Devices



Paper Printer

Available paper printer media formats

A4



Available Syngo and Paper Printer Mappings

| Printer Name | Syngo Paper Size | Printer Paper Size |
|----------------------------|------------------|--------------------|
| Codonics EP-1660 | 8x10 | Film (8 x 10 in.) |
| Codonics NP-1660 | 8x10 | 8x10 (8 x 10 in) |
| HP LaserJet 2300 Series PS | A4 | A4 |



PS LUT File

- Use LUT for Postscript Printers
- Use Dicom LUT for Postscript Printers
- Use floating Zoom factors
- Current LUT

SystemManagement



Versions

| | |
|-----------------------|--------------|
| XML Interface Version | 2.4 |
| MNP Version | VG10C (4.04) |
| Template Version | 038_000 |



Master

| | |
|----------------|---------------|
| Server Name | FTHW9MVA |
| TCP/IP address | 194.138.39.22 |



Agent Controls

System Management Base

| | |
|-----------|-------------------------------------|
| installed | <input checked="" type="checkbox"/> |
| activated | <input checked="" type="checkbox"/> |

Subagents

| | |
|---------|--------------------------|
| Name | Asset Agent |
| Version | 5.11 |
| State | running |
| Name | Event Agent |
| Version | 8.17.0 |
| State | running |
| Name | Hardware Agent |
| Version | |
| State | not running |
| Name | Log Agent |
| Version | 8.17.0 |
| State | running |
| Name | Software Delivery Agent |
| Version | 5.11 |
| State | running |
| Name | Software Transport Agent |
| Version | 5.11 |
| State | running |
| Name | System Agent |
| Version | 8.17.0 |
| State | running |

Applications



Pat. Registration

Displayed Patient Registration Dialog Elements

Patient

| | |
|-------------|-------------------------------------|
| Name Fields | 3 |
| Age | <input checked="" type="checkbox"/> |
| Height | <input checked="" type="checkbox"/> |

Study

| | |
|---------------------|-------------------------------------|
| Study List | <input checked="" type="checkbox"/> |
| Accession Number | <input checked="" type="checkbox"/> |
| Requested Procedure | <input checked="" type="checkbox"/> |

- Weight
- Address
- Other Name(s)
- Other ID(s)
- Ethnic Group
- Military Rank
- Details
- Additional Info
- Institution**
- Institution Name
- Performing Physicians 1
- Operators 1
- Patient Registration Dialog Invocation**
- implicitly in scheduler

- Request ID
- Comments
- Visit**
- Referring Physician
- Requesting Physician
- Admitting Diagnosis
- Ward
- Admission ID



Viewer

Viewer configuration settings

- Close all studies when new one is loaded
- Close all series when new one is loaded



CorRea

Displayed CorRea Dialog Elements

Patient

- Name Fields 5
- Other Name(s)
- Other ID(s)
- Ethnic Groups
- Military Rank
- Date of birth
- Sex
- Height
- Weight
- Address
- Additional Info

Series

- Description
- Date
- Request ID
- Patient Position
- Institution Name
- Institution Address
- Modality
- Performing Physician 2
- Operator 2
- Body Part Examined
- Number
- Protocol Name
- Time
- Laterality

Hospital

- Referring Physician
- Admission ID
- Requesting Physician
- Admitting Diagnosis
- Ward

Instance

- Number
- Comment
- Date
- Time
- Injection Start Time
- Injection Stop Time
- Injection Total Dose
- Contrast Medium
- Calibration Image
- Image Laterality
- Patient Orientation



MPPS

Displayed MPPS Dialog Elements

| | | | |
|------------------|-------------------------------------|-------------|-------------------------------------|
| Study | <input checked="" type="checkbox"/> | Study ID | <input checked="" type="checkbox"/> |
| Study Date | <input checked="" type="checkbox"/> | Study Time | <input checked="" type="checkbox"/> |
| Accession Number | <input checked="" type="checkbox"/> | Description | <input checked="" type="checkbox"/> |
| Modality | <input checked="" type="checkbox"/> | Station | <input checked="" type="checkbox"/> |
| Status | <input checked="" type="checkbox"/> | Type | <input type="checkbox"/> |
| End Date | <input type="checkbox"/> | End Time | <input checked="" type="checkbox"/> |
| Dose Dialog | <input type="checkbox"/> | Comments | <input checked="" type="checkbox"/> |



Worklist Result

Displayed HISRIS worklist result attributes

| | | | |
|----------------------|--------------------------|----------------------|--------------------------|
| Date of birth | <input type="checkbox"/> | Sex | <input type="checkbox"/> |
| Accession Number | <input type="checkbox"/> | Admission ID | <input type="checkbox"/> |
| Referring Physician | <input type="checkbox"/> | Performing Physician | <input type="checkbox"/> |
| Requesting Physician | <input type="checkbox"/> | Ward | <input type="checkbox"/> |



MBox Integration

Activate/Deactivate MBox Integration

activate MBox Integration